

North

For the Settlement Month of March 2025				
Site DCM Information Initial Settlement (S1)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	334943	55.39%	147996	59.71%
Small Apartment	1882	53.77%	4347	50.08%
Small Commercial	25710	57.74%	32378	56.68%
Small Industrial	23	66.32%	57	68.24%
Mid Apartment	1127	55.33%	12185	57.75%
Mid Commercial	4366	57.52%	46569	57.68%
Mid Industrial	16	55.62%	216	51.48%
Mid Residential	48	46.03%	346	39.18%
Large Apartment	166	50.19%	7599	49.60%
Large Commercial	522	49.57%	36031	47.85%
Large Industrial	48	50.98%	11365	49.34%
Total System	368850	55.55%	299088	56.37%

North

For the Settlement Month of February 2025				
Site DCM Information Interim Settlement (S2)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	15477	2.56%	9543	2.54%
Small Apartment	275	7.98%	819	6.38%
Small Commercial	2458	5.53%	4629	4.79%
Small Industrial	3	8.30%	6	5.05%
Mid Apartment	141	6.77%	1859	6.10%
Mid Commercial	445	5.82%	6314	5.10%
Mid Industrial	3	10.12%	52	8.45%
Mid Residential	4	3.17%	47	3.21%
Large Apartment	28	8.48%	1482	6.44%
Large Commercial	72	6.82%	5226	4.68%
Large Industrial	5	4.83%	785	3.12%
Total System	18910	2.85%	30762	3.84%

North

For the Settlement Month of December 2024				
Site DCM Information Final Settlement (S3)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	175	0.03%	123	0.04%
Small Apartment	34	0.98%	50	0.49%
Small Commercial	115	0.26%	260	0.34%
Small Industrial	1	2.94%	0	0.05%
Mid Apartment	6	0.31%	77	0.31%
Mid Commercial	26	0.33%	380	0.38%
Mid Industrial	0	0.00%	.	.
Mid Residential	0	0.00%	.	.
Large Apartment	4	1.35%	229	1.17%
Large Commercial	11	1.03%	928	1.00%
Large Industrial	0	0.00%	.	.
Total System	372	0.06%	2047	0.31%

South

For the Settlement Month of March 2025				
Site DCM Information Initial Settlement (S1)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	258889	41.84%	109830	45.01%
Small Apartment	913	37.46%	1395	31.65%
Small Commercial	15771	44.12%	18766	42.06%
Small Industrial	18	49.91%	33	46.03%
Irrigation	448	65.95%	0	.
Mid Apartment	426	37.95%	4718	38.67%
Mid Commercial	2658	41.87%	27922	41.85%
Mid Industrial	17	41.61%	166	31.52%
Mid Residential	85	59.08%	580	60.82%
Large Apartment	141	62.50%	7371	64.49%
Large Commercial	591	55.94%	52762	60.42%
Large Industrial	53	47.80%	12016	48.92%
Total System	280009	42.00%	235559	47.41%

South

For the Settlement Month of February 2025				
Site DCM Information Interim Settlement (S2)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	2046	0.33%	1393	0.36%
Small Apartment	61	2.54%	201	2.96%
Small Commercial	731	2.05%	1781	2.16%
Small Industrial	0	0.50%	0	0.14%
Irrigation	13	1.89%	0	.
Mid Apartment	36	3.13%	603	3.23%
Mid Commercial	189	2.94%	3013	2.78%
Mid Industrial	2	5.00%	41	4.86%
Mid Residential	6	4.13%	50	2.99%
Large Apartment	13	5.59%	509	2.85%
Large Commercial	66	6.34%	6064	4.55%
Large Industrial	3	3.14%	613	2.07%
Total System	3166	0.48%	14269	1.81%

South

For the Settlement Month of December 2024				
Site DCM Information Final Settlement (S3)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	87	0.01%	51	0.02%
Small Apartment	7	0.28%	16	0.33%
Small Commercial	40	0.11%	114	0.20%
Small Industrial	0	0.00%	.	.
Irrigation	2	0.25%	0	.
Mid Apartment	0	0.00%	0	0.00%
Mid Commercial	15	0.24%	276	0.37%
Mid Industrial	1	2.50%	3	0.48%
Mid Residential	1	0.47%	5	0.44%
Large Apartment	1	0.44%	43	0.33%
Large Commercial	7	0.64%	578	0.59%
Large Industrial	0	0.00%	.	.
Total System	160	0.02%	1085	0.20%