

North

For the Settlement Month of June 2019				
Site DCM Information Initial (S1)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	314632	56.32%	24466	49.05%
Small Apartment	1643	51.01%	1113	47.03%
Small Commercial	24939	59.31%	4691	51.30%
Small Industrial	22	63.92%	6	56.15%
Mid Apartment	1191	54.83%	3068	48.62%
Mid Commercial	4421	58.98%	8855	52.07%
Mid Industrial	17	61.61%	76	72.22%
Mid Residential	59	51.36%	94	42.48%
Large Apartment	72	23.29%	856	20.74%
Large Commercial	299	27.47%	6859	25.46%
Large Industrial	33	35.35%	3108	25.28%
Total System	347327	56.46%	53193	41.42%

North

For the Settlement Month of May 2019				
Site DCM Information Interim (S2)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	1265	0.23%	180	0.22%
Small Apartment	59	1.81%	79	2.12%
Small Commercial	668	1.58%	295	1.61%
Small Industrial	1	3.09%	0	0.78%
Mid Apartment	71	3.31%	321	3.40%
Mid Commercial	205	2.77%	724	2.61%
Mid Industrial	2	6.76%	38	23.20%
Mid Residential	2	2.10%	1	0.51%
Large Apartment	0	0.11%	4	0.06%
Large Commercial	10	0.91%	111	0.29%
Large Industrial	7	7.21%	133	1.14%
Total System	2291	0.37%	1885	0.95%

North

For the Settlement Month of March 2019				
Site DCM Information Final Settlement (S3)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM

Residential	74	0.01%	29	0.01%
Small Apartment	1	0.03%	6	0.06%
Small Commercial	70	0.16%	99	0.15%
Small Industrial	0	0.00%	.	.
Mid Apartment	2	0.09%	32	0.15%
Mid Commercial	18	0.24%	161	0.20%
Mid Industrial	1	1.94%	2	0.43%
Mid Residential	0	0.00%	.	.
Large Apartment	0	0.00%	.	.
Large Commercial	1	0.11%	36	0.04%
Large Industrial	0	0.00%	.	.
Total System	167	0.03%	365	0.07%

South

For the Settlement Month of June 2019				
Site DCM Information Initial Settlement (S1)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	291086	52.00%	24872	44.71%
Small Apartment	1087	50.50%	613	48.79%
Small Commercial	20742	63.76%	5235	57.69%
Small Industrial	23	68.82%	131	58.97%
Irrigation	582	71.22%	921	71.08%
Mid Apartment	620	52.40%	2387	51.72%
Mid Commercial	3845	64.51%	10013	59.18%
Mid Industrial	26	75.29%	149	74.14%
Mid Residential	94	63.21%	208	67.28%
Large Apartment	44	18.93%	749	17.74%
Large Commercial	247	24.39%	7316	22.48%
Large Industrial	38	31.61%	5630	30.51%
Total System	318435	52.72%	58225	40.23%

South

For the Settlement Month of May 2019				
Site DCM Information Interim Settlement (S2)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	697	0.12%	131	0.13%
Small Apartment	21	0.98%	25	1.26%

Small Commercial	348	1.07%	293	1.54%
Small Industrial	1	2.92%	1	2.04%
Irrigation	0	0.03%	0	0.00%
Mid Apartment	30	2.56%	202	2.79%
Mid Commercial	148	2.50%	885	2.96%
Mid Industrial	2	5.88%	1	0.50%
Mid Residential	2	1.06%	1	0.19%
Large Apartment	0	0.18%	5	0.07%
Large Commercial	8	0.76%	183	0.39%
Large Industrial	8	7.00%	2661	12.67%
Total System	1266	0.21%	4387	1.83%

South

For the Settlement Month of March 2019				
Site DCM Information Final Settlement (S3)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	117	0.02%	52	0.02%
Small Apartment	2	0.07%	1	0.02%
Small Commercial	36	0.11%	92	0.17%
Small Industrial	1	2.85%	2	1.02%
Irrigation	0	0.00%	.	.
Mid Apartment	4	0.32%	42	0.30%
Mid Commercial	17	0.29%	192	0.29%
Mid Industrial	0	0.00%	.	.
Mid Residential	0	0.00%	.	.
Large Apartment	0	0.00%	.	.
Large Commercial	0	0.00%	.	.
Large Industrial	0	0.30%	166	0.64%
Total System	176	0.03%	548	0.11%