

North

For the Settlement Month of March 2024				
Site DCM Information Initial Settlement (S1)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	325855	54.69%	135449	51.13%
Small Apartment	1702	50.91%	4099	47.08%
Small Commercial	25022	56.65%	30974	48.13%
Small Industrial	22	64.15%	46	41.23%
Mid Apartment	1176	55.32%	11501	51.18%
Mid Commercial	4345	57.32%	42622	50.41%
Mid Industrial	17	58.07%	267	52.41%
Mid Residential	64	54.57%	456	50.49%
Large Apartment	100	28.60%	4387	25.51%
Large Commercial	391	33.64%	25927	30.07%
Large Industrial	41	43.14%	10734	46.94%
Total System	358736	54.79%	266462	46.52%

North

For the Settlement Month of February 2024				
Site DCM Information Interim Settlement (S2)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	1334	0.22%	1118	0.38%
Small Apartment	70	2.09%	248	2.66%
Small Commercial	651	1.47%	1538	2.08%
Small Industrial	3	8.57%	7	4.55%
Mid Apartment	67	3.14%	962	4.02%
Mid Commercial	215	2.84%	2790	2.99%
Mid Industrial	2	5.47%	30	5.45%
Mid Residential	8	6.81%	65	6.75%
Large Apartment	4	1.08%	126	0.70%
Large Commercial	28	2.40%	2022	2.20%
Large Industrial	4	4.76%	609	2.69%
Total System	2386	0.36%	9515	1.51%

North

For the Settlement Month of December 2023				
Site DCM Information Final Settlement (S3)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	106	0.02%	77	0.03%
Small Apartment	6	0.17%	18	0.23%
Small Commercial	93	0.21%	211	0.35%
Small Industrial	3	7.37%	3	3.34%
Mid Apartment	3	0.16%	35	0.17%
Mid Commercial	24	0.31%	254	0.33%
Mid Industrial	1	2.06%	12	2.25%
Mid Residential	0	0.00%	.	.
Large Apartment	1	0.17%	0	0.00%
Large Commercial	4	0.33%	185	0.23%
Large Industrial	1	1.11%	1	0.01%
Total System	241	0.04%	796	0.15%

South

For the Settlement Month of March 2024				
Site DCM Information Initial Settlement (S1)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	372077	61.55%	176705	62.79%
Small Apartment	1120	49.48%	1823	42.60%
Small Commercial	21361	60.68%	30748	57.24%
Small Industrial	23	60.19%	48	53.41%
Irrigation	487	69.61%	0	.
Mid Apartment	597	52.15%	7003	50.74%
Mid Commercial	3943	62.81%	44862	61.12%
Mid Industrial	24	66.09%	307	62.01%
Mid Residential	103	67.07%	781	62.19%
Large Apartment	68	28.54%	3546	26.17%
Large Commercial	405	35.39%	34796	34.95%
Large Industrial	37	33.86%	7412	28.99%
Total System	400245	61.41%	308030	54.31%

South

For the Settlement Month of February 2024				
Site DCM Information Interim Settlement (S2)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	3240	0.54%	1977	0.69%
Small Apartment	40	1.78%	123	2.72%
Small Commercial	491	1.40%	930	1.60%
Small Industrial	0	1.00%	3	2.30%
Irrigation	9	1.32%	0	.
Mid Apartment	32	2.78%	436	3.09%
Mid Commercial	123	1.97%	1636	2.14%
Mid Industrial	2	5.31%	54	9.80%
Mid Residential	1	0.65%	7	0.57%
Large Apartment	8	3.36%	430	3.12%
Large Commercial	33	2.85%	1868	1.81%
Large Industrial	3	2.47%	291	1.07%
Total System	3982	0.61%	7754	1.33%

South

For the Settlement Month of December 2023				
Site DCM Information Final Settlement (S3)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	85	0.01%	50	0.02%
Small Apartment	2	0.09%	4	0.10%
Small Commercial	58	0.17%	92	0.20%
Small Industrial	0	0.00%	.	.
Irrigation	2	0.34%	0	.
Mid Apartment	2	0.17%	29	0.24%
Mid Commercial	8	0.13%	107	0.17%
Mid Industrial	1	2.70%	7	1.69%
Mid Residential	0	0.00%	.	.
Large Apartment	4	1.77%	150	1.28%
Large Commercial	9	0.78%	370	0.43%
Large Industrial	0	0.00%	.	.
Total System	171	0.03%	809	0.17%