

North

For the Settlement Month of December 2021				
Site DCM Information Initial Settlement (S1)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	367379	63.49%	264529	68.66%
Small Apartment	1869	57.19%	8216	66.04%
Small Commercial	28112	65.03%	80654	73.72%
Small Industrial	22	69.93%	81	75.81%
Mid Apartment	1317	60.79%	22512	68.57%
Mid Commercial	4958	65.15%	97428	72.89%
Mid Industrial	21	71.75%	405	69.45%
Mid Residential	79	62.46%	857	65.39%
Large Apartment	94	28.06%	8130	34.13%
Large Commercial	390	32.64%	42303	36.21%
Large Industrial	33	35.73%	6012	38.86%
Total System	404274	63.49%	531126	63.86%

North

For the Settlement Month of November 2021				
Site DCM Information Interim Settlement (S2)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	351111	60.77%	144315	64.61%
Small Apartment	1759	53.79%	4506	56.67%
Small Commercial	26873	62.31%	42333	69.44%
Small Industrial	20	65.27%	41	69.25%
Mid Apartment	1266	58.31%	12543	61.98%
Mid Commercial	4675	61.28%	52406	66.33%
Mid Industrial	19	67.01%	236	62.74%
Mid Residential	74	58.61%	453	58.40%
Large Apartment	67	20.62%	2933	20.92%
Large Commercial	287	24.61%	18719	24.32%
Large Industrial	27	28.88%	4002	28.78%
Total System	386178	60.75%	282486	56.77%

North

For the Settlement Month of September 2021				
Site DCM Information Final Settlement (S3)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	89	0.02%	45	0.07%
Small Apartment	0	0.00%	.	.
Small Commercial	82	0.19%	46	0.43%
Small Industrial	0	0.00%	.	.
Mid Apartment	1	0.05%	3	0.05%
Mid Commercial	25	0.32%	79	0.41%
Mid Industrial	0	0.00%	.	.
Mid Residential	1	0.52%	12	3.85%
Large Apartment	0	0.06%	2	0.05%
Large Commercial	2	0.13%	20	0.06%
Large Industrial	1	1.09%	0	0.00%
Total System	200	0.03%	207	0.13%

South

For the Settlement Month of December 2021				
Site DCM Information Initial Settlement (S1)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	306830	52.84%	224242	57.64%
Small Apartment	1025	46.81%	2361	44.66%
Small Commercial	20812	61.34%	55943	67.61%
Small Industrial	22	64.80%	177	84.41%
Irrigation	576	76.74%	0	.
Mid Apartment	505	42.88%	9144	47.62%
Mid Commercial	3828	62.13%	76085	69.21%
Mid Industrial	22	71.28%	437	73.34%
Mid Residential	109	68.41%	1360	75.29%
Large Apartment	47	19.67%	4186	23.38%
Large Commercial	339	30.13%	42481	34.08%
Large Industrial	39	31.50%	6400	24.98%
Total System	334154	53.33%	422815	54.41%

South

For the Settlement Month of November 2021				
Site DCM Information Interim Settlement (S2)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	7456	1.29%	2364	1.15%
Small Apartment	58	2.68%	95	3.10%
Small Commercial	1205	3.56%	2031	5.09%
Small Industrial	1	3.73%	7	1.89%
Irrigation	3	0.37%	0	0.00%
Mid Apartment	50	4.22%	434	3.98%
Mid Commercial	321	5.19%	2828	5.20%
Mid Industrial	4	11.02%	64	15.56%
Mid Residential	4	2.75%	26	2.76%
Large Apartment	2	0.81%	63	0.60%
Large Commercial	28	2.60%	1691	2.20%
Large Industrial	2	1.71%	101	0.44%
Total System	9134	1.46%	9703	2.28%

South

For the Settlement Month of September 2021				
Site DCM Information Final Settlement (S3)	Average # Sites without DCM	Average % Sites without DCM	Average GJ Consumption without DCM	Average % Consumption without DCM
Residential	113	0.02%	18	0.03%
Small Apartment	0	0.01%	0	0.02%
Small Commercial	30	0.09%	28	0.32%
Small Industrial	0	0.00%	.	.
Irrigation	0	0.00%	.	.
Mid Apartment	1	0.10%	11	0.24%
Mid Commercial	14	0.23%	40	0.25%
Mid Industrial	2	6.06%	6	7.22%
Mid Residential	0	0.00%	.	.
Large Apartment	0	0.00%	.	.
Large Commercial	2	0.22%	16	0.04%
Large Industrial	0	0.00%	.	.
Total System	163	0.03%	120	0.08%